

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------|---------|---------------------|
| L3 | 658 | (@ad< "20030529" or @rlad< "20030529") and "709"/\$3.cds. and (query\$4 or request\$4 or ask\$4) near4 (DNS or "domain name system") near4 (name or identity or "best" or "closest" or "fastest" or information) near2 (server or site or host or name) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/06 13:26 |
| L4 | 140 | (@ad< "20030529" or @rlad< "20030529") and "709"/\$3.cds. and ((query\$4 or request\$4 or ask\$4) near4 (DNS or "domain name system") near4 (name or identity or "best" or "closest" or "fastest" or information) near2 (server or site or host or name)) and ((extend\$4 or enhance\$4 or adding or additional) near5 (DNS or "domain name system")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/06 13:54 |
| L6 | 3 | (@ad< "20030529" or @rlad< "20030529") and "709"/\$3.cds. and (DNS or "domain name system") with (whitelist or blacklist or (white adj list\$4) or (black adj list\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/06 14:16 |
| L7 | 5 | (@ad< "20030529" or @rlad< "20030529") and (DNS or "domain name system") with (whitelist\$4 or blacklist\$4 or (white adj list \$4) or (black adj list\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/06 14:47 |
| S1 | 3318 | 709/226.cds. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 11:48 |

| | | | | | | |
|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|---------------------|
| S2 | 2131 | KDDI.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 11:48 |
| S3 | 12 | Yokota.in. and Yamamoto. in. and Williams.in. and Hashimoto.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 11:49 |
| S14 | 31 | @ad<"20030623" and (query \$5 or ask\$5 or request\$5 or locat\$5 or find\$5 or discover \$5) near5 ((tunnel adj broker) or (connect adj agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 12:46 |
| S21 | 47 | IPv6 near5 (locat\$5 or find \$5 or discover\$5 or query \$5) near8 (DNS or "domain name system" or "domain name server") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 12:56 |
| S22 | 14 | @ad<"20030623" and IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 12:57 |
| S23 | 46 | @ad<"20030623" and IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5 or request\$5) near8 (DNS or "domain name system" or "domain name server") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 12:57 |
| S30 | 12 | @ad<"20030623" and ("tunnel broker" or "tunnel server" or "connect agent") with IPv6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 13:39 |
| S31 | 8 | @ad<"20030623" and ("tunnel broker" or "tunnel server" or "connect agent") with IPv6 and ("domain name" or DNS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 13:50 |
| S34 | 201 | @ad<"20030623" and (IP adj address) near6 (physical \$4 adj location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 14:42 |
| S35 | 17 | @ad<"20030623" and (IP adj address) near3 determin \$5 near3 (physical\$4 adj location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 14:42 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|---------------------|
| S37 | 6 | @ad<"20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 result | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 15:30 |
| S38 | 91 | @ad<"20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 (result or address or ip) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 15:33 |
| S39 | 14 | @ad<"20030623" and ("domain name" or DNS) near5 (query\$5 or (look adj up) or lookup or "look-up") same (multiple or many or several) near4 (result or address or ip) and (pick\$5 or choos\$5 or select\$5) near5 (first or close\$5 or fast \$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 15:33 |
| S47 | 79 | @ad<"20030623" and entire near2 (search or query) near5 key | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 16:42 |
| S53 | 1 | @ad<"20020623" and lookup adj table near5 key near5 query\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 17:07 |
| S54 | 6 | @ad<"20020623" and ARP with cache with lookup | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 17:16 |
| S60 | 18 | @ad<"20020623" and (NAPTR or "naming authority pointer") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/16 18:40 |
| S61 | 389 | 709/226.ccls. and @pd>"20080801" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 13:35 |

| | | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|---------------------|
| S62 | 5 | (@ad< "20030623" or @rld< "20030623") and (query\$5 or ask\$5 or request\$5) near5 (address or IP or location) near5 ((tunnel adj broker) or (connect adj agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 13:39 |
| S63 | 2 | "2004/0264465 A1" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 13:40 |
| S64 | 54 | IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 13:49 |
| S66 | 0 | Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in. and @pd> "20080801" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 15:07 |
| S67 | 141 | KDDI.as. and @pd> "20080801" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/17 15:08 |
| S68 | 89 | KDDI.as. and @pd> "20090201" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:32 |
| S69 | 0 | Yokota.in. and Yamamoto.in. and Williams.in. and Hashimoto.in. and @pd> "20090201" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:32 |
| S71 | 60 | IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (DNS or "domain name system" or "domain name server") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:33 |
| S72 | 7 | IPv6 near5 (locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:33 |
| S73 | 137 | (@ad< "20030623" or @rld< "20030623") and 709/227.cds. and @pd> "20090201" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:34 |

| | | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|---------------------|
| S75 | 584 | ((locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:35 |
| S76 | 163 | ((@ad< "20030623" or @riad< "20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) with ((tunnel\$4 or connect\$4) near2 (broker or agent))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:37 |
| S79 | 8 | ((@ad< "20030623" or @riad< "20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) with ((tunnel\$4 or connect\$4) near2 (broker or agent)) same IPv6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 13:59 |
| S80 | 16 | ((@ad< "20030623" or @riad< "20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent)) and IPv6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 14:00 |
| S81 | 1 | ((@ad< "20030623" or @riad< "20030623") and "709"/\$3.ccls. and (locat\$5 or find\$5 or discover\$5 or query\$5) near8 (close\$4) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 14:03 |
| S83 | 2 | ((@ad< "20030623" or @riad< "20030623") and (locat\$5 or find\$5 or discover\$5 or search\$4) near8 (close\$4) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 14:08 |
| S85 | 5 | US-20040184422-\$.D.ID. OR US-20040136382-\$.D.ID. OR US-20040137888-\$.D.ID. OR US-7191226-\$.D.ID. OR US-6862274-\$.D.ID. | US-PGPUB; USPAT | OR | ON | 2009/08/05 14:34 |
| S86 | 3 | US-20040264465-\$.D.ID. OR US-6172986-\$.D.ID. OR JP-11068850-\$.D.ID. OR JP-10313336-\$.D.ID. OR US-2420083-\$.D.ID. | US-PGPUB; USPAT | OR | ON | 2009/08/05 14:35 |

| | | | | | | |
|------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----|----|---------------------|
| S87 | 5 | (S85 or S86) and ((tunnel\$4 or connect\$4 or IPv6) near2 (broker or agent)) | US-PGPUB; USPAT | OR | ON | 2009/08/05 14:37 |
| S88 | 3 | (@ad<"20030623" or @rlad<"20030623") and ((locat\$5 or find\$5 or discover \$5 or search\$4) near8 (close \$4) near8 ((tunnel\$4 or connect\$4 or home or mobile) near2 (broker or agent)) and IPv6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 14:51 |
| S90 | 11 | (@ad<"20030623" or @rlad<"20030623") and (((locat\$4 or discover\$4 or search\$4 or find\$4) with ((tunnel or connect\$4) adj (broker or agent))))).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 15:20 |
| S97 | 27 | (709/228.ccls. or 709/230.ccls. or 709/238.ccls. or 709/245.ccls. or 709/227.ccls.) and (@ad<"20030529" or @rlad<"20030529") and ((locat\$5 or find\$5 or discover \$5 or query\$5) near8 ((tunnel\$4 or connect\$4) near2 (broker or agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 15:30 |
| S102 | 7 | (@ad<"20030623" or @rlad<"20030623") and "709"/\$3.ccls. and (DNS with (close\$4 or fast\$4) near5 (mirror or host)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/08/05 16:18 |

8/ 6/ 2009 3:01:00 PM

C:\Documents and Settings\jmacilwinen\My Documents\EAST\Workspaces\729257.wsp